From: Rachelle Cote

Cc: <u>Caroline Cox</u>; <u>Nicki Duke</u>; <u>Jocelyn Moreno</u>; <u>PHI</u>

Subject: Updates to Self-isolation and Masking Requirements, Section 22 Revoked / Mises à jour des exigences d'auto-

isolement et de port du masque, Article 22 révoqué

**Date:** March 10, 2022 3:22:45 PM

Attachments: 20220310 Government of Ontario Announcement.pdf

20220310 Government of Ontario Announcement FR.pdf

220309 Reopening FINAL.PDF

On behalf of Dr. Corneil, Acting Medical Officer of Health/CEO / De la part de D<sup>r</sup> Corneil, médecin hygiéniste par intérim/Directeur exécutif

As you may have heard, the Government of Ontario made a major announcement yesterday. This update affects self-isolation and masking requirements. The Timiskaming Health Unit has also revoked our Section 22 Order regarding self-isolation.

For more information, see attached.

\*\*\*\*\*\*\*\*\*\*\*

Ī

Bonjour,

Comme vous l'avez peut-être entendu, le gouvernement de l'Ontario a fait une annonce importante hier. Cette mise à jour affecte les exigences d'auto-isolement et de port du masque. Les Services de santé du Timiskaming ont également révoqué l'ordre en vertu de l'article 22 concernant l'auto-isolement.

Pour plus d'informations, voir ci-joint.

Dr. Glenn Corneil

Acting Medical Officer of Health/Chief Executive Officer

**Timiskaming Health Unit** 



Head Office:

247 Whitewood Avenue, Unit 43 PO Box 1090 New Liskeard, ON POJ 1P0

Tel.: 705-647-4305 Fax: 705-647-5779

Branch Offices:

Englehart Tel.: 705-544-2221 Fax: 705-544-8698 Kirkland Lake Tel.: 705-567-9355 Fax: 705-567-5476

www.timiskaminghu.com

March 10, 2022

Good day,

As you may have heard, the Government of Ontario made a major announcement yesterday.

Masking will be removed in most settings on Monday March 21. Note that masking is still required up to and including Sunday March 20.

There are changes regarding self-isolation that will affect whether or not your workers can attend work. These changes went into effect yesterday. Workers should continue to stay home and self-isolate for 5-10 days if they have symptoms of COVID-19. However, workers who do not have symptoms and are close contacts or who live with the person with COVID-19 are no longer required to self-isolate in some circumstances. Please visit <a href="www.ontario.ca/exposed">www.ontario.ca/exposed</a> for more information. Note that workers who are close contacts or who live with the person with COVID-19 must follow additional precautions, including following all public health measures and wearing a mask and avoiding activities where mask removal would be necessary. This requirement may affect your workplace, particularly in the lunchroom. Specifically, affected workers must strictly adhere to masking requirements and only remove their mask for essential purposes such as eating while maintaining as much distancing from others as possible.

The attached slides from the Government of Ontario provide more information about all province-wide changes. A calendar of changes is on p. 6.

Additionally, effective today, March 10, 2022, the Timiskaming Health Unit has revoked the Class Order made pursuant to Section 22 (5.0.1) of the Health Protection and Promotion Act, R.S.O. 1990, c.H.7, COVID-19 Self-Isolation Class Order (issued on January 20, 2022). For more information, click <a href="here">here</a>. This change does not affect self-isolation requirements for people who have travelled internationally, and international travelers should continue to visit <a href="https://www.travel.gc.ca">www.travel.gc.ca</a> for information.

Sincerely,

Dr. Glenn Corneil, B.Sc., M.D., C.C.F.P., F.C.F.P.

Acting Medical Officer of Health/CEO



Le 10 mars 2022

Bonjour,

Head Office:

247 Whitewood Avenue, Unit 43 PO Box 1090 New Liskeard, ON P0J 1P0

Tel.: 705-647-4305 Fax: 705-647-5779

Branch Offices:

Englehart Tel.: 705-544-2221 Fax: 705-544-8698 Kirkland Lake Tel.: 705-567-9355 Fax: 705-567-5476

www.timiskaminghu.com

Comme vous avez peut-être connaissance, le gouvernement de l'Ontario a fait une annonce importante hier.

Le port du masque sera retiré dans la plupart des milieux le lundi 21 mars. Notez que le port du masque est toujours requis jusqu'au dimanche 20 mars inclus.

Il y a des changements concernant l'auto-isolement qui affecteront les travailleurs sur la question de savoir si ils peuvent ou non se rendre au travail. Ces changements sont entrés en vigueur hier. Les travailleurs doivent continuer de rester à la maison et de s'isoler jusqu'à 5 à 10 jours s'ils présentent des symptômes de la COVID-19. Cependant, les travailleurs qui n'ont pas de symptômes et qui sont des contacts étroits ou qui vivent avec la personne qui a la COVID-19 ne sont plus tenus de s'isoler dans certaines circonstances. S'il vous plaît visitez <a href="www.ontario.ca/exposed">www.ontario.ca/exposed</a> pour plus d'informations. Veuillez noter que les travailleurs qui sont des contacts étroits ou qui vivent avec la personne qui a la COVID-19 doivent suivre des précautions supplémentaires, y compris suivre toutes les mesures de santé publique, le port d'un masque et éviter les activités où le retrait du masque serait nécessaire. Cette exigence peut avoir une importance sur votre lieu de travail, en particulier à la salle à manger. Plus précisément, les travailleurs touchés doivent respecter strictement les exigences en matière de port du masque et ne retirer leur masque qu'à des fins essentielles, comme manger, tout en maintenant la plus grande distance possible des autres.

La présentation ci-jointe du gouvernement de l'Ontario fournit plus de renseignements sur tous les changements apportés à l'échelle provinciale. Un calendrier des changements se trouve à la page 6.

De plus, à compter d'aujourd'hui, le 10 mars 2022, les Services de santé du Timiskaming ont révoqué l'ordre collectif pris en vertu de l'article 22 (5.0.1) de la Loi sur la protection et la promotion de la santé, L.R.O. 1990, ch. H.7, ordre collectif sur l'auto-isolement liée à la COVID-19 (émise le 20 janvier 2022). Pour plus d'informations, cliquez <u>ici</u>. Ce changement n'a aucun impact sur les exigences d'auto-isolement pour les personnes qui ont voyagé à l'étranger. Les voyageurs internationaux devraient continuer à visiter <u>www.travel.gc.ca</u> pour obtenir de l'information.

Sincèrement,

Dr Glenn Corneil, B.Sc., M.D., C.C.F.P., F.C.F.P.

Médecin-hygiéniste par intérim/Directeur Exécutif

# Living with and Managing COVID-19

**Technical Media Briefing** 



#### **Overview**

- With the peak of Omicron behind us, Ontario has been able to cautiously and gradually move through its reopening milestones. The majority of public health and workplace safety measures have now been lifted, and key public health indicators continue to improve or remain stable.
- Thanks to our high vaccination rates as well as the arrival of antivirals, Ontario has the tools necessary to manage the impact of this virus, and we are now learning to live with and manage COVID-19 for the long-term.
- This necessitates a shift to a more balanced response to the pandemic, and changes are being made with respect to the province's pandemic response to reflect a longerterm approach.
- The following slides speak to how Ontario intends to lift the remaining public health and workplace safety measures as well as track key indicators going forward.




## **Ontario's Reopening Plan**

Following the peak of the Omicron wave, on January 20, 2022, the government released details of its steps to cautiously and gradually ease public health and workplace safety measures, starting on January 31, 2022.

Continued improvements in key indicators have allowed the province to continue to ease public health measures sooner, with the majority of COVID-19 related public health and workplace safety measures lifted on March 1, 2022.










Sector-specific restrictions such as limits on dancing or singing, requirements to remain seated, requirements for appointments/reservations, and active screening, etc. lifted.

# Ongoing Improvements in Key Indicators



#### **CMOH Directives & Letter of Instructions**

The Chief Medical Officer of Health has issued seven Directives to health care providers and health care entities currently in place detailing precautions and procedures with respect to COVID-19.

In addition, instructions were also issued by the CMOH requiring a COVID-19 vaccination policy in a number of high-risk settings (e.g. the education sector, retirement homes, community care and post-secondary institutions)

A process is now underway to gradually revoke all CMOH Directives and instructions by the end of April. In all cases, Directives will be replaced with operational guidance or recommendations from the CMOH and relevant ministry.



As Directives are revoked, individual organizations will continue to have the authority to keep requirements in place.



Personal protective equipment and rapid antigen tests will continue to be provided to support health and safety in these settings.

#### **Key Principles**

- Moving away from emergency measures to ongoing operations
- Moving away from reliance on provincial direction through mandatory requirements
- Endeavouring to bring as much as possible consistent guidance, both across and within sectors;
- Ensuring supports for most vulnerable are removed last
- Providing sufficient time for sectors to prepare
- Ontario's Chief Medical Officer of Health remains key decision maker on Directives and LOIs. Decisions on revoking pandemic related requirements (Directives or Letters of Instruction,) continue to be evidence based and informed by indicators and trends.
- Lifting of measures are undertaken in a coordinated fashion.

### **CMOH Directives & Letter of Instructions (cont.)**

As Directives are revoked, individual organizations will continue to have the authority to keep requirements in place. Personal protective equipment and rapid antigen tests will continue to be provided to support health and safety in these settings.

Date	What's Changing?	Ongoing Support
March 14: Mandatory vaccination policies end	<ul> <li>Revoke Directive 6</li> <li>Revoke letters of instruction to Ministry of Children, Community and Social Services, Ministry of Seniors and Accessibility and Ministry of Education</li> <li>Revoke Minister of Long-Term Care directive on immunization policy</li> </ul>	<ul> <li>Province to continue providing rapid-antigen tests to organizations</li> <li>Organizations can retain their own policies</li> </ul>
March 21: Most masking mandates end	<ul> <li>Remove masking requirements in most places (including schools), except public transit, long-term care, retirement homes and other health-care settings, congregate care settings, shelters, jails and congregate care and living settings, including homes for individuals with developmental disabilities</li> <li>Lift other measures in schools, including removing cohorting and daily on-site screening</li> <li>All other regulatory requirements for businesses removed, including passive screening, safety plans</li> </ul>	<ul> <li>Province to continue providing rapid-antigen tests and PPE to schools, child care, and businesses</li> <li>Individuals can continue to opt to wear masks</li> <li>Enhanced cleaning, optimizing air quality and ventilation and absence reporting will remain in schools</li> </ul>
March 28: Reopening Ontario Act expires	Reopening Ontario Act (ROA) expires	<ul> <li>Final extension of ROA emergency order for 30 days</li> </ul>
April 27: All remaining measures, directives and orders end	<ul> <li>Remove masking requirements in all remaining settings</li> <li>Any remaining emergency orders under ROA expire</li> <li>Revoke Directives 1, 2.1, 3,4 and 5</li> </ul>	<ul> <li>CMOH guidance and recommendations on IPAC, including use of PPE</li> <li>Province to continue providing rapid-antigen tests and PPE</li> </ul>

# **Case and Contact Management & Isolation**

Due to the unique characteristics of the Omicron variant, case and contact management and isolation guidelines are being updated to minimize the burden to workers and families, while ensuring that our highest risk settings continue to be protected. We are able to make these changes due to the availability of rapid tests and the province's high vaccination rate.

	Current	New Guidance
Isolation requirements for non-household close contacts	<ul> <li>Fully vaccinated individuals do not need to isolate</li> <li>Unvaccinated/immunocompromised individuals need to isolate for 10 days (or 5 days if under 12)</li> <li>Individuals who have tested positive in past 90 days, exempt from isolation</li> </ul>	<ul> <li>No isolation requirements for any groups. For 10 days after exposure, all close contacts should:</li> <li>Self-monitor for symptoms</li> <li>Wear a mask and avoid activities where mask removal would be necessary</li> <li>Not visit anyone who is at higher risk of illness (i.e. seniors)</li> <li>Not visit or attend work in highest risk settings (unless they have previously tested positive in past 90 days)</li> </ul>
Isolation requirements for household close contacts	All household members need to self-isolate while the COVID-19 positive case/symptomatic individual is isolating (or for 10 days from last exposure if immunocompromised)	<ul> <li>The following household members do not need to self-isolate but should follow above precautions for 10 days:         <ul> <li>Household members that have previously tested positive for COVID-19 in the past 90 days</li> <li>Household members that are 18 + and have received their booster dose</li> <li>Household members that are under 18 years old and are fully vaccinated</li> </ul> </li> <li>Household members that do not meet the above criteria must self-isolate as per current requirements.</li> </ul>

A close contact is anyone you were less than two metres away from for at least 15 minutes, or multiple shorter lengths of time, without personal protective equipment in the 48 hours before your symptoms began or your positive test result, whichever came first.

## **Case and Contact Management & Isolation**

Ontario's changes to case and contact management and isolation guidelines ensures that those living and working in the highest risk settings continue to be protected. We are able to make these changes due to the availability of rapid tests and the province's high vaccination rate.

	Current	New Guidance
Highest Risk Setting Definition	<ul> <li>Hospitals (including complex continuing care facilities and paramedic services) and congregate living settings, including Long-Term Care, retirement homes, First Nation elder care lodges, group homes, shelters, hospices, and correctional institutions</li> </ul>	<ul> <li>In addition to current eligibility, the following settings are now added to the PCR eligibility list:</li> <li>Home and community care</li> <li>Provincial Demonstration Schools and hospital schools</li> </ul>
Highest Risk Setting Guidance	<ul> <li>Cases and contacts who live in highest risk settings must complete 10 days isolation and quarantine</li> </ul>	Sector specific guidance will be released to-allow for shorter self-isolation for residents who are contacts
Recommendations for Cases/ Symptomatic individuals who are Immune Compromised	Self isolate for 20 days if severely immunocompromised	All immunocompromised individuals should isolate for 10 days but follow additional precautions (e.g., masking, avoiding highest risk settings and vulnerable individuals) for an additional 10 days (20 days total)

- As Ontario continues to ease public health measures and begins to manage COVID-19 for the long-term, the province will be making changes to data reporting starting **March 11, 2022**.
- The province is providing additional context for certain indicators to reflect the emergence of Omicron as the dominant variant, and the province's high vaccination rates.
- Changes to testing guidelines as a result of the highly transmissible Omicron variant have resulted in some indicators becoming less relevant.

	Additional changes effective March 11, 2022
Additions & Enhancements	<ul> <li>Death by fatality type (COVID was cause of death, COVID contributed to death, cause of death unknown or missing)</li> <li>Deaths by vaccination status and age group</li> <li>Removal of deaths known to be not related to COVID from reported death (i.e., remove deaths that are classified as 'COVID was unrelated to cause of death')</li> </ul>
Sunset/Modified	<ul> <li>Sunsetting reproductive number (estimate of the average number of people one person will infect with COVID-19).</li> <li>Modifying outbreaks in non-high risk settings and cases with outbreaks in non-high risk settings.</li> </ul>

Due to the Omicron variant's high transmissibility, Ontario has seen a larger number of cases than previous waves.


The Omicron variant required a review of our reporting, and we have already made changes to clarify between hospitalization and ICU admissions reporting to stratifying those admitted for COVID-19 versus admitted for non-COVID reasons and tested positive with COVID).

Data from other jurisdictions suggested that with the very high Omicron case counts, some people with COVID-19 infection were dying from causes unrelated to their COVID-19 infection.

This necessitated a review of the reporting processes in place since the start of the pandemic, including whether COVID-19 was causing or contributing to the death of individuals.

#### A higher proportion of Wave 5 deaths were reported as non-COVID-19-related than in previous waves





Data: CCM March 6, 2022. Dates are reported date when death occurred. Cause of death reporting may be incomplete for some recent deaths.

The Ministry undertook a review of best practices to better understand how information was being recorded on Medical Certificates of death.

To support having highest quality data on deaths from COVID-19, we have sent best practices to physicians and registered nurses in the extended class to support improvements in reporting. **Ontario's death reporting will be updated to be consistent with the World Health Organization's categorization**.

Type of Death for Cases of COVID-19	Definition	Change as of March 11 <sup>th</sup>	
COVID was the underlying cause of death	COVID-19 was the underlying cause of death. A death resulting from a clinically compatible illness in a probable or confirmed COVID-19 case.	Will continue reporting as COVID- 19 deaths while also outlining fatality type	
COVID contributed to but was not the underlying cause of death	Deaths due to chronic or other pre-existing conditions that were exacerbated by COVID-19.		
Cause of death unknown*	Death in a person with COVID-19 infection, cause of death is still under investigation, or the public health unit has been unable to determine the cause of death.		
Cause of death was missing*	Death in a person with COVID-19 infection, with cause of death missing in the Case and Contact Management system (CCM).		
COVID was unrelated to the cause of death	When there was a clear alternative cause of death, e.g., trauma, drug toxicity, other natural death process.	To be excluded from COVID-19 deaths reported	

<sup>\*</sup>Due to the live nature of the data, the category may change at a later date when the cause of death is confirmed either as "COVID-19 is the underlying cause of death", "COVID-19 contributed but not underlying cause," or COVID-19 unrelated. As such, data from the most recent days should be interpreted and communicated with caution as those numbers are very likely to increase due to reporting lags.

#### **Deaths by Fatality Type**

As of March 6, 2022, approximately 84% of fatalities in people with COVID were either caused by COVID or COVID contributed to the death. Approximately 4.2% of fatalities in people with COVID were unrelated to COVID.


In addition to reporting the total number of deaths, we will begin reporting daily net changes in the number of COVID-19 deaths reported day over day broken out into three fatality types.

Information will be provided from March 2020 and onward. Users will be able to select the following historic outlooks for:

- Past 7 days
- Past 14 days
- Past 30 days
- Past 90 days
- All time

Deaths are not reported by the date on which death happened as reporting may include deaths that happened on previous dates.

#### COVID-19 deaths by fatality type



See what we mean by: Cause of death missing or unknown

Find out more about this data, including why there may be negative numbers.

\*Mockup Example of new reporting

#### Deaths by Vaccination Status and by Age Group

Vaccination remains the most powerful tool in averting COVID-19 death in all age groups and in particular among those 60 years and older. For example, among those 60+, those not fully vaccinated have a 20 times higher risk of dying compared to those with boosters.


We will report rates of death by vaccination status and age group. Data will be **based on date of death**.

Information will include:

- 7-day moving average of rates of death according to vaccination status and age groups
- Users will be able to select historic view for the past:
  - 7 days
  - 14 days
  - 30 days (coming soon)
  - 90 days (coming soon)
  - All time (coming soon)

#### Deaths involving COVID-19 by vaccination status

Rate per 100,000 (7-day average) of COVID-19 deaths by vaccination status.



\*Mockup Example of new reporting

#### Changes on March 11, 2022

We will no longer report deaths if the record indicates that COVID-19 was unrelated to the cause of death. This will cause a decrease in the total number of deaths.

The existing visuals that will be updated with this change include:

- Total deaths table
- Cumulative deaths graph
- Deaths by PHU
- Deaths according to age group

On March 11<sup>th</sup>, the "Reported today" and "Changes from previous day" will not be available for 1-2 days due to the change in methodology. The "Total deaths" will be available.

This change will provide a more accurate representation of deaths that are due to COVID-19 rather than all deaths in people with COVID-19.

#### Ending on March 11, 2022

In response to the highly-transmissible Omicron variant, Ontario adjusted its COVID-19 testing guidelines to prioritize testing for those at highest risk and working in highest risk settings, consistent with practice in other jurisdictions in Canada.

In this context, we are no longer able to accurately track the total number of cases of COVID-19 in Ontario. Accordingly, as of March 11, 2022, we are discontinuing reporting on the reproductive number. Certain categories within existing public reporting (e.g., outbreaks in non-high-risk settings, cases with outbreaks in non-high-risk settings) will include the following note to caution interpretation until non-high risk settings are removed from the graph in the near future.

Key indicators such as per cent positivity, hospitalizations, and ICU admissions remain relevant indicators to inform our pandemic response.

The Ministry is examining when frequency of reporting should change.



